



Effect of cognitive-behavioral play therapy in the self-esteem and social anxiety of students

Marzie Atayi¹, Hadi Hashemi Razini¹, Mohammad Hatami¹

Journal of Research & Health
Social Development & Health Promotion
Research Center
Vol. 8, No. 3, May & Jun 2018
Pages: 278- 285
DOI: 10.29252/jrh.8.3.278
Original Article

1. Department of Humanities, School of Psychology, University of Psychology and Educational Sciences, Kharazmi University, Iran
Correspondence to: Marzie Atayi, Department of Humanities, School of Psychology, University of Psychology and Educational Sciences, Kharazmi University, Iran
Email: ramkal27@yahoo.com

Received: 24 Feb 2016
Accepted: 21 Agu 2016

How to cite this article: Atayi M; Hashemi Razini H, Hatami M. Effect of cognitive-behavioral play therapy in the self-esteem and social anxiety of students. *J Research Health* 2018; 8(3): 278- 285.

Abstract

Self-esteem and lack of social phobia are considered amongst the components of mental health. These features are more likely to be created during the early years of life like any other mental aspect. Hence, the present research aimed to investigate the effectiveness of cognitive-behavioral play therapy in self-esteem and social anxiety of student. The statistical population included all the students in Tehran, from whom a sample of 24 was drawn through multi-stage cluster sampling. They were randomly assigned into the experimental and control groups. The data gathering tools included Rosenberg's Self-Esteem Scale and Connor Social Phobia Inventory. The experimental group underwent the group play therapy while the control group received no treatment. The findings indicated that group play therapy was effective in the increase of self-esteem and decrease of social phobia among the students. Therefore, it is recommended that children's counseling and therapy centers as well as school officials employ the necessary interventions to enhance health, improve self-esteem, and decrease social phobia with regard to the necessary constructs for the improvement of children's and adolescents' mental health.

Keywords: Anxiety, Cognitive-Behavioral, Play Therapy, Self-Esteem

Introduction

Recently, the enhancement of children's and adolescents' health has been in the limelight and the majority of this age range has received outpatient health services [1]. Solving the problems among the children and adolescents has both preventive and curative aspects because in many cases, their unsolved problems may turn into complicated problems. The underlying notion of many psychological theories is the hypothesis that human beings are motivated by self-improvement and seek for positive self-

concept and self-esteem [2]. Self-esteem is a subject being in the limelight of research and it is often associated with words such as self-assurance, self-worth, etc. It helps others to have real and precise perception of their abilities and good features [3].

Different theorists such as Baumeister, Heatherton & Tice [4] and Meyers [5] have focused on the significance of self-esteem. They have recognized self-esteem as an invaluable shield against anxiety and depression and also a

core fundamental factor in social and emotional adjustment. Self-esteem is personal judgment about one's abilities and values that involves some notions such as self-value, self-concept, and self-knowledge [6]. There is a mutual relationship between individuals' perceptions of their abilities and their self-esteem [7]. The individuals' self-esteem increases as a result of their positive evaluation of their performance. If the individuals are provided with opportunities by which they can acquire some skills as well as demonstrate their abilities and performance and, as a result, have positive evaluation of them, it can exhibit positive impacts on their self-esteem. Particularly, this is much more beneficial if such opportunities are provided in social situations because self-esteem is the amount of value that individuals attribute to self as a person. This feature is acquired in interpersonal relationships as a reflection of others' opinion about the individual and learning how to cope with different problems [8].

Basically, the origin of many psychological problems is social relationships. Social anxiety disorder or social phobia can be experienced as a result of lacking in social skills and appropriate social capabilities. This phobia as an anxiety disorder is defined as persistent fear of others' negative evaluations [9]. Individuals suffering from this type of anxiety have constant specific fear of embarrassment when they are exposed to others' negative evaluations in social situations or while doing an activity in the presence of others [10]. Cognitive theories consider biased information processing as an important factor in creating and maintaining social anxiety disorders [11]. Surely, children and adolescents have their own specific needs and features and it is necessary for them to receive appropriate treatments.

Play therapy is employed to treat emotional and behavioral issues in children because it is in harmony with their diverse developmental needs [12]. According to Piaget [13], play is a tool for expressing self and establishing relationship for children who are not fully developed in their abstract thinking. Playing provides individuals with opportunities to

experience social relationships, become successful, make mistakes, and be able to overcome their fears in public. Integration of this therapy with cognitive-behavioral approach can be an appropriate strategy to increase self-esteem and decrease anxiety. It provides for child active interaction with peers and active cooperation during the therapy [14]. One of the most significant positive aspects of cognitive-behavioral play therapy is that the objectives and methods of therapy are totally specific [15]. This therapy is also very suitable for individuals who have problems in orally expressing their emotions [16]. Thanks to this therapy approach, they can acquire skills in controlling their behaviors [17].

The techniques used in play therapy include tracking, retelling the content, reflection of emotions, and restoring the responsibility to the child [18]. According to Piaget [13], play is a tool to facilitate child's cognitive growth and help children reach their final stage of growth at the age of 11 and participate in social-based games. Play therapy provides good opportunity for children to establish secure relationship in order to explore and express the self and to be benefited from the constructive interaction with peers [17]. Play therapy enhances children's insight, problem-solving and coping skills and helps them bridge between experience and perception [12]. Research shows that play therapy is an appropriate treatment for a wide range of problems [19].

Studies have shown the positive impacts of play therapy and cognitive-behavioral therapy in the increase of self-esteem and decrease of anxiety. Stanger et al. [20] have investigated the effectiveness of group play therapy in the improvement of phobia and anxiety. The results of their research revealed that group play therapy exerts positive effects in the decrease of symptoms and problems of children's social phobia. Moreover, Baggerly & Parker [21] concluded that group play therapy has positive impacts on self-esteem, anxiety, depression, social skills, and self-acceptance. Braton et al. [12] reviewed over 82 studies and concluded that play therapy leads

to the improvement of anxiety, self-esteem, self-concept, behavioral changes, cognitive abilities, and social skills. Williams, O'Moore, Mason, and Andrews [22] in a study on the impact of internet-based cognitive-behavioral therapy on social anxiety concluded that this type of therapy has influential and positive impacts. Fracalanza, McCabe, Taylor & Antony [23] investigated the role of cognitive-behavioral therapy in the decrease of major depression symptoms, bipolar disorder, and social anxiety. Their results revealed the positive impact of cognitive-behavioral therapy in the decrease of participants' social anxiety.

Yet, not much attention has been devoted to the effectiveness of cognitive-behavioral therapy. This research aimed to implement this intervention and investigate its effectiveness. Many of the children and adolescents are beset with some problems in the realm of mental health. Treatment of such problems is difficult using adult-related interventions. Therefore, play therapy can exhibit more benefits owing to its age appropriateness. Self-esteem has crucial impact on children's and adolescents' mental health and social anxiety may negatively affect their life quality. Therefore, with regard to the above-mentioned literature, the present research aimed to determine the effectiveness of group play therapy with cognitive-behavioral approach in students' self-esteem and social anxiety. The present research hypothesizes include: 1) group play therapy with cognitive-behavioral approach will increase self-esteem and, 2) group play therapy with cognitive-behavioral approach will decrease social anxiety.

Method

The present research employed a semi-experimental method with pretest, posttest and control group design. Group play therapy with cognitive-behavioral approach was conducted on the experimental group and the scores on social anxiety and self-esteem were compared with the relevant scores of the control group. The statistical population included all the female students in the age range of 12-13 in the first district of Tehran in 2015. 24 participants was

selected and assigned into the experimental and control groups (n=12 in each group). The experimental group participated in eight one-hour weekly sessions of play therapy with cognitive-behavioral approach. One school was selected through convenience sampling and an announcement was released to invite the students to participate in a counseling group. The inclusion criteria were as follows:

- Age range of 12-13 years
- Parental consent to participate in the research
- Lack of physical or mental disorder except for social anxiety and self-esteem problems
- The participants' mean age was 12.92 years.

The data gathering tools included Rosenberg's self-esteem scale and Connor social phobia inventory.

Rosenberg's Self-Esteem Scale was designed and developed by Rosenberg to measure self-esteem. It is a short, simple tool applicable for any age range or educational level [24]. It has 10 items scored on a 4-point Likert scale from "strongly disagree" to "strongly agree". Greenberger, Chen, Dmitrieva & Farruggia [25] have administered this questionnaire on 197 Estonian students and reported its psychometric properties as following: internal consistency: 0.84, test-retest reliability on 78 students (2 weeks of time interval): 0.84, test-retest reliability on 82 students (5 months of time interval): 0.67, and test-retest reliability on 81 students (1 year of time interval): 0.62. All the coefficients were statistically significant and acceptable.

Connor Social Phobia Inventory was designed by Connor, Davidson & Churchill [26] to measure social phobia. This questionnaire evaluates 3 clinical area of social phobia including fear, inhibition, and physiological symptoms. This 17-item, self-report questionnaire is scored on a 5-point Likert scale. This questionnaire has highly acceptable levels of reliability and validity. Its test-retest reliability has been reported as 0.78 and 0.89. The internal consistency in a normal group has been reported to be 0.94 (total scale), 0.89 (fear component), 0.91 (inhibition component), and 0.80

(physiological symptoms component).

Group play therapy with cognitive-behavioral approach

The therapeutic protocol of this research was a combination of Feeling, Expectation, Attitude, and Result (FEAR) program and a researcher-made protocol. FEAR program is a collection of anxiety-management skills. In the first stage or F, the child and therapist identify different feelings and their relations to body. In the next stage or E, the child learns cognitive and perceptual parts and identifies internal conversations and anxiety-provoking thoughts and seeks to cope with them. In the next stage or A, the therapist introduces ideas or attitudes that are useful in revealing the role of attitude and actions on what is felt. This part is focused on problem-solving as a tool in coping with anxiety. In the final stage or R, the concepts of rewards to performance or efforts are explained for the child [15].

A summary of the sessions is presented below:

First session: Subject: children's and therapist's introducing

Objective: Familiarity of children and therapists with each other and some activities in group sessions

Second session: Subject: Card playing

Objective: Identifying different feelings in children and providing the necessary conditions for the catharsis of feelings

Third session: Subject: Playing with ball

Objective: Helping children for identifying positive and negative emotions and expression of emotional experiences

Fourth session: Subject: The game of magic

tricks and reading short poems in the group
Objective: Learning how to identify the thoughts and feelings without fear and anxiety in the group

Fifth session: Subject: Measuring different parts of children's body

Objective: Identifying the physical states of the body and receiving positive feedbacks

Sixth session: Subject: Game of bubble thoughts

Objective: Identifying anxiety-provoking thoughts in social situations

Seventh session: Subject: Short and imaginary role-playing exercise

Objective: Improvement of self-esteem in group members

Eighth session: Subject: Implementation of relaxation, desensitization, and relieving stress

Objective: Decrease of stress in the presence of others

Univariate covariance analysis was used in SPSS-18 to test the research hypotheses and estimate the significance of independent variable effects on dependent variable.

Results

The mean score of social anxiety in the experimental and control groups were 30.416 and 30.583, respectively. The mean score of self-esteem in the experimental and control groups equaled 21.583 and 26.500, respectively. Mean and standard deviation of the research's variables completely have been presented in Table 1.

Table 1 Mean and standard deviation of the research's variables in the experimental and control groups

Variable	Group	Pretest		Posttest	
		Mean	SD	Mean	SD
Social anxiety	Experimental	30.416	6.200	22.500	5.385
	Control	30.583	7.012	29.667	7.854
Self-esteem	Experimental	21.583	3.528	32.750	4.223
	Control	26.500	6.302	29.416	7.329

Levene's test, Kolmogorov-Smirnov test, and slope of regression homogeneity were used to assess the necessary presumptions of covariance analysis. The results have been presented in the Table 2.

Table 3 shows presumption of the homogeneity of regression coefficients. Results indicates on regression coefficients. Also Kolmogorov-Smirnov test shows the normality of groups.

Table 2 The results of Levene's test to investigate the variances' homogeneity of the participants' scores in the posttest

Variable	F ratio	Df numerator	Df denominator	Level of sig.
Self-esteem	0.94	1	22	0.10

Table 3 Results on the presumption of the homogeneity of regression coefficients

Source of change	Sum of square	df	MS	F	Level of sig.
Group*pretest	172.652	2	86.326	2.661	0.093

The first hypothesis of the research put forward that group play therapy with cognitive-behavioral approach will be effective in the increase of students' self-esteem. The results of Levene's test indicate that the null hypothesis is not rejected and the observed F is not significant at $p > 0.05$ and therefore, the homogeneity of variance or homoscedasticity exists in the scores. Based on the results of slope of regression homogeneity in Table 3, the estimated F that is not significant ($p > 0.05$, $F = 2.661$) and covariance analysis can be employed because the data don't support the assumption of slope of regression homogeneity. The estimated Z in Kolmogorov-Smirnov is equal to 0.790 at significance level of .561 and the data distribution of posttest is normal for the experimental and control groups. Therefore, the assumptions for covariance analysis are confirmed and we can use covariance analysis for investigating the research's first hypothesis. As observed in Table 2, there is significant between-group difference between the mean score of self-esteem (Eta square: 0.191, $p < 0.05$

and $f = 5.225$). It can be concluded that group play therapy has been effective in the increase of self-esteem by 0.191 percent.

The second hypothesis of the research put forward that group play therapy with cognitive-behavioral approach will be effective in the decrease of students' social anxiety. The results of Levene's test in Table 2 indicate that the null hypothesis is not rejected and the observed F is not significant at $p > 0.05$ and therefore, the homogeneity of variance or homoscedasticity exists in the scores. Based on the results of slope of regression homogeneity, the estimated F that is not significant ($p > 0.05$, $F = 2.844$) and covariance analysis can be employed because the data don't support the assumption of slope of regression homogeneity. The estimated Z in Kolmogorov-Smirnov is equal to 0.488 at significance level of 0.634 and the data distribution of posttest is normal for the experimental and control groups. Therefore, the assumptions for covariance analysis are confirmed and we can use covariance analysis for investigating the research's second hypothesis.

Table 4 univariate covariance test for the effectiveness of group play therapy with cognitive-behavioral approach in the decrease of students' social anxiety

Variable	Source of change	SS	DF	MS	F	Level of significance	Effect size
Self-esteem	Pretest	142.772	1	142.772	4.635	0.04	0.18
	Group	160.322	1	160.322	5.225	0.03	0.19
	Error	644.395	21	30.685			
	Total	24042.000	24	-			

As observed in Table 4, there is significant between-group difference between the mean score of social anxiety (Eta square: 0.240, $p < 0.05$ and $f = 6.617$). It can be concluded that group play therapy has been effective in the decrease of social anxiety by 0.280 percent.

Discussion

In recent years, the subject of children's and adolescents' mental health has received especial attention. Timely diagnosis and treatment of psychological problems in children is surely of great benefit because

Table 5 Univariate covariance test for the effectiveness of group play therapy with cognitive-behavioral approach in the decrease of students' social anxiety

Variable	Source of change	SS	DF	MS	F	Level of significance	Effect size
Self-esteem	Pretest	27.510	1	27.510	0.59	0.44	0.24
	Group	305.697	1	305.697	6.617	0.01	0.28
	Error	970.157	21	46.198			
	Total	17634.000	24	-			

changing the emotional and behavioral patterns in adulthood is far more difficult. Self-esteem that is established and modified during childhood plays a crucial role in individuals' mental health [1]. A vast number of children suffer from social anxiety. Therefore, the present research aimed to employ a suitable intervention among children to increase their self-esteem and decrease their social anxiety. To this end, group play therapy with cognitive-behavioral approach was selected. Cognitive-behavioral approach has been effective in the cohesion of therapy sessions and it has specific, tangible objectives and strategies [15]. Our results indicated that group play therapy could be effective in increasing the self-esteem by 19 percent and decrease of social anxiety by 28 percent. These results are in line with the results reported by Stangier et al. [20], Baggerly and Parker [21], and Danger et al. [28].

Danger and colleagues [28] found out that group play therapy can significantly reduce children's anxiety especially anxiety for talking. Braton et al. [12] have studied the effectiveness of group play therapy in self-concept, behavioral changes, social skills, and anxiety. The results of their research indicated that when children do not receive fear-provoking stimuli in social conditions and also receive positive feedbacks from the therapist and peers, their anxiety decreases and they enjoy playing with peers. According to Kazdin [15], special strategies are employed in group play therapy with cognitive-behavioral approach. Children are taught to be assertive in the presence of others. They learn to control their thoughts, provide and receive feedbacks and also cope with failures. These types of learning can be effective in the improvement of their self-esteem. In this play therapy, the therapist has an active role. S/he uses timely positive and

assuring sentences to lift children's spirit. The therapist must consider five facets of: 1) acceptance and communication; 2) practical knowledge about the stages of growth and its related matters; 3) sincere respect and love for children; 4) understanding the systems and their mutual interactions; and 5) self-care [27]. Children are encouraged for internal conversation and learn to use positive sentences about themselves. In our therapy sessions, the dynamics of group and mutual respects in conversations and behaviors were obvious. All the participants used positive feedbacks, expressed their opinions freely, and participated in the interactions. They were more open to constructive criticism as compared to the earlier therapy sessions, as well. They were also more relaxed and showed more dependence on and closeness with others and actively participated in the process of problem-solving and decision-making. All these could be effective in the improvement of their self-esteem.

One of the reasons leading to children's social anxiety is their lack of skill in making friends and establishing friendly relationship with peers. Therefore, they often do not have pleasant experience of being in public. They may show significant changes if they are provided with opportunities to have pleasurable experiences of social settings. According to Baggerly and Parker [21], group play therapy increases the level of responsibility, self-control, and self-acceptance. During our therapy sessions, we tried to teach children the correct ways of establishing relationships. They were even advised to select appropriate words and gestures while making friends. Modeling was also used as an effective method so that children were required to loudly repeat the therapist's sentences in low voice. Children

were taught about understanding others' points of views and feelings in different situations. Children who suffer from social anxiety and avoid establishing relationships with others are often forced to create bond with others and actively participate in the group and give feedbacks.

Playing establishes a link between child's internal and external world helping him to gain control over objects. Moreover, playing lets children demonstrate the mastery over their thinking, feeling, and experience. Often, children are confronted with different problems in verbally expressing their feelings while playing helps them show their feelings [29]. Behavioral-cognitive therapy can also increase their efficacy in the treatment of anxiety and enhancement of self-esteem. Moreover, it can be successful especially while mixed with group play therapy. Siahkalroudi and Bahri [30] reported that group play therapy based on cognitive-behavioral approach can increase children's social skills and self-esteem.

Conclusion

Group play therapy caused the students to more freely express their experiences and feelings. Furthermore, group playing led children to have interaction with one another and get exposed to different attitudes and viewpoints. Of course, play therapy may stop children's problems and symptoms in a few sessions but more fundamental changes need more sessions to be held [12]. We are bound to carry out more studies to fully investigate the positive effects of play therapy. This research intended to involve children in playing games; however, they did not have complete knowledge of some of the games. Moreover, this research was carried out on girls. It is recommended that similar researches be conducted on the features of mental health in different age ranges as well as shedding light on gender differences.

When entering school, children may show mental problems such as anxiety and lack of self-esteem due to different and improper education styles, unfavorable biological, personality, and environmental factors. School

environment can create a situation by which mental problems decrease and students' mental health and abilities increase. The implication of proper interventions that are in harmony with age-related factors and school environment can play a significant role in this area. Play therapy can really attract students and help them express their feelings actively and derive benefits. Most schools lack in appropriate environment for the employment of such interventions; however, more effort can be invested in this area. The researcher faced some difficulties in sampling; therefore, the results doesn't have high generalization. It's recommended that more similar research be carried out in terms of mental problems among children and adolescents.

Acknowledgments

We appreciate everyone who contributed to this study.

Contribution

Study design: HH and MH

Data collection and analysis: MA

Manuscript preparation: MH

Conflict of Interest

"The authors declare that they have no competing interests."

Funding

The author (s) received no financial support for the research, authorship and/or publication of this article.

References

- 1- Olsson M, Druss BG, Marcus SC. Trends in mental health care among children and adolescents. *N C Med J*2015; 21; 372(21): 20-38.
- 2- Alicke MD, Sedikides C. Self-enhancement and self-protection: What they are and what they do. *Eur Rev Soc Psychol*2001; 20(1): 1-48.
- 3- Baumeister R. Rethinking self-esteem: why nonprofits should stop pushing self-esteem and start endorsing self-control. CA: Stanford; 2005. pp:34-41.
- 4- Baumeister RF, Heatherton TF, Tice DM. When ego threats lead to self-regulation failure: negative consequences of high self-esteem. *J Pers Soc Psychol*1993; 64(1): 141.

- 5- Meyers SA. Personality correlation of adult attachment style. *J Soc Psychol*1998; 138: 407-9.
- 6- Faria E, Blanes L, Hochman B, Mesquita Filho M, Ferreira L. Health-related quality of life, self-esteem and functional status of patients with leg ulcers. *Int Wound J*2011; 23(1): 4-10.
- 7- Cunha M, Paiva MJ. Text anxiety in adolescents: the role of self-criticism and acceptance and mindfulness skills. *Span J Psychol*2012; 15(02): 533-43.
- 8- Shirk S, Burwell R, Harter S. Strategies to modify low self-esteem in adolescents. In Reinecke MA, Dattilio FM, Freeman A, eds. *Cognitive therapy with children and adolescents: A casebook for clinical practice*. New York, NY, US: Guilford Press; 2003. pp: 189-213.
- 9- American Psychiatric Association. *Diagnostic and statistical manual of mental disorders (DSM-5®)*. New York: American Psychiatric pub; 2013.
- 10- Dalrymple KL, Galione J, Hrabosky J, et al. Diagnosing social anxiety disorder in the presence of obesity: implications for a proposed change in DSM-5. *Depress Anxiety*2011; 28(5): 377-82.
- 11- Brozovich FA, Goldin P, Lee I, Jazaieri H, Heimberg RG, Gross JJ. The effect of rumination and reappraisal on social anxiety symptoms during cognitive-behavioral therapy for social anxiety disorder. *J Clin Psychol*2015; 71(3): 208-18.
- 12- Bratton SC, Ray D, Rhine T, Jones L. The efficacy of play therapy with children: a meta-analytic review of treatment outcomes. *Prof Psychol Res Pr*2005; 36(4): 376.
- 13- Piaget J. The relation of affectivity to intelligence in the mental development of the child. *Bull Menninger Clin*1962; 26(3): 129.
- 14- Drewes AA, editor. *Blending play therapy with cognitive behavioral therapy: Evidence-based and other effective treatments and techniques*. Hoboken, New Jersey, US: Wiley; 2009; 17.
- 15- Kazdin AE. *Psychotherapy for children and adolescents: Directions for research and practice*. London: Oxford University press; 2000.
- 16- Delle Carmichael K. *Play therapy: An introduction*. New Jersey, United States: Pearson/Merrill Prentice Hall; 2006.
- 17- Landreth GL. *Play therapy: the art of the relationship*. New York: Routledge; 2012.
- 18- Kottman T. Adlerian play therapy. *Int J Play Ther*2001; 10(2): 1.
- 19- Ray D, Bratton S, Rhine T, Jones L. The effectiveness of play therapy: Responding to the critics. *Int J Play Ther*2001; 10(1): 85.
- 20- Stangier U, Heidenreich T, Peitz M, Lauterbach W, Clark DM. Cognitive therapy for social phobia: individual versus group treatment. *Behav Res Ther*2003; 41(9): 991-1007.
- 21- Baggerly J, Parker M. Child-centered group play therapy with African American boys at the elementary school level. *J Couns Dev*2005; 83(4): 387.
- 22- Williams AD, O'Moore K, Mason E, Andrews G. The effectiveness of internet cognitive behaviour therapy (iCBT) for social anxiety disorder across two routine practice pathways. *Internet Interv*2014; 1(4): 225-9.
- 23- Fracalanza K, McCabe RE, Taylor VH, Antony MM. The effect of comorbid major depressive disorder or bipolar disorder on cognitive behavioral therapy for social anxiety disorder. *J Affect Disord*2014; 162: 61-6.
- 24- Pullmann H, Allik J. The rosenberg self-esteem scale: its dimensionality, stability and personality correlates in Estonian. *Pers Individ Dif*2000; 28(4): 701-15.
- 25- Greenberger E, Chen C, Dmitrieva J, Farruggia SP. Item-wording and the dimensionality of the Rosenberg Self-Esteem Scale: Do they matter? *Pers Individ Dif*2003; 35(6): 1241-54.
- 26- Connor KM, Davidson JR, Churchill LE, Sherwood A, Foa E, Weisler RH. Psychometric properties of the Social Phobia Inventory (SPIN). New self-rating scale. *Br J Psychiatry*2000; 176(4): 379-86.
- 27- Christensen P, Prout A. Children, place, space and generation. In: Mayall B, Zeiher H, eds. *Childhood in Generational Perspective*. London: University of London; 2003.
- 28- Danger S, Landreth G. Child-Centered Group Play Therapy with Children with Speech Difficulties. *International Journal of Play Therapy*2005; 14(1): 81.
- 29- Wethinton HR, Hahn RA, Fugua-Whiteley DS, Pe TA, Crosloy AR, Liberman AM. The effectiveness of nterventions to reduce psychology harm form traumatic events among child and adolescents. *Am J Preventive Med*2008; 53(3): 287-373.
- 30- Ghasemian Siahkalroudi S, Zarbakhsh Bahri M. Effectiveness of cognitive behavioral play therapy group on self-esteem and social skills in girls' elementary school. *Journal of Scientific Research and Development*2015; 2(4): 114-20.